

Garden Tool

PRUNING SHEAR

- ▶ Forged steel
- ▶ Nickel plated
- ▶ Dipped handle

Size: 8"

LK6001



Pruning shear consists of two pieces of cut edge shearing handle scissor crossover shaft connected together, opening scissors short handle, handle the long handle, scissors, cross paraxial long handle, shaft and connected with the handle, boosting short handle shaft is connected with the handle, boosting short handle end pin, pin in Kong Yan as a jagged hole. The utility model pruning shear in the shear of different sizes of branches, always in the best position of the palm of the hand handle maximum grip strength, and can increase the shear stress shear edge, with pruning time and labor, the advantages of large shear forces.



PRUNING SHEARS



- ▶ Forged steel
 - ▶ Polished
 - ▶ Dipped handle
- Size: 8"

LK6002

PRUNING SHEARS



- ▶ Forged steel
 - ▶ Polished
 - ▶ Dipped handle
- Size: 8"

LK6003



BYPASS PATTERN PRUNING SHEAR

- ▶ Forged steel blades
- ▶ Polished & powder coated
- ▶ Plastic handle

LK6004



Size: 180mm/7" ,200mm/8" ,220mm/9"

BYPASS PATTERN PRUNING SHEAR

- ▶ Forged steel
- ▶ Polished & powder coated

LK6005



Size: 200mm/8" ,220mm/9"

ORANGE SHEAR

- ▶ Forged steel blades
- ▶ Polished
- ▶ Dipped handle

Size: 5"

LK6006



ORANGE SHEAR

- ▶ Forged steel blades
- ▶ Polished
- ▶ Dipped handle

Size: 4.5" ,5.25"

LK6007



Garden Tool

BYPASS PATTERN PRUNING SHEAR



- ▶ Forged steel blades
- ▶ Polished
- ▶ Wood covered handle

LK6008

Size: 8"



STRAIGHT PRUNING SHEAR



- ▶ Forged steel blades
- ▶ Polished
- ▶ Wood covered handle

LK6009

Size: 8"

BYPASS PRUNING SHEAR

- ▶ Forged steel blades
- ▶ Polished
- ▶ Wood covered handle

LK6010

Size: 8"



BYPASS PRUNING SHEAR

- ▶ Forged steel blades
- ▶ Polished
- ▶ Bi-color plastic handle

LK6011

Size: 8"



BYPASS PATTERN PRUNING SHEAR

- ▶ A: Bypass pattern pruning shear; Teflon coated, plastic handle with PVC non-slip part
- ▶ B: Anvil pattern pruning shear; Teflon coated, plastic handle with PVC non-slip part

LK6012

Size: A 8" ,B 8" ,A+B



BYPASS PATTERN PRUNING SHEAR

- ▶ A: Bypass pattern pruning shear; Teflon coated, plastic handle with PVC non-slip part
- ▶ B: Anvil pattern pruning shear; Teflon coated, plastic handle with PVC non-slip part

LK6013

Size: 8"



BYPASS PATTERN PRUNING SHEAR

- ▶ High carbon steel,chrome-plated blades
- ▶ ABS plastic handle
- ▶ 1/2" cutting capacity



LK6015

BYPASS PATTERN PRUNING SHEAR

- ▶ High carbon steel,chrome-plated blades
- ▶ ABS plastic handle
- ▶ 1/2" cutting capacity

LK6016



BYPASS PATTERN PRUNING SHEAR

- ▶ High carbon steel,Teflon coated,exchangeable blades
- ▶ Aluminum handle with PVC dipped low friction rotatable handle
- ▶ 5/8" cutting capacity

LK6017



BYPASS PATTERN PRUNING SHEAR

- ▶ High carbon steel,polished
- ▶ Casting iron body
- ▶ 3/4" cutting capacity

LK6019



BYPASS PATTERN PRUNING SHEAR

- ▶ High carbon steel blades
- ▶ Soft plastic layer grips
- ▶ 3/4" cutting capacity

LK6021



ANVIL PATTERN PRUNING SHEAR

- ▶ High carbon steel blades
- ▶ Polished steel handle with PVC dipped
- ▶ 1/2" cutting capacity

LK6023



ANVIL PATTERN PRUNING SHEAR

- ▶ Akynubyn alloy body
- ▶ SK5 blade double sharpened,Teflon coated
- ▶ Ratchet mechanism for easier cutting
- ▶ 5/8" cutting capacity

LK6025

Size: 8"



ANVIL PATTERN PRUNING SHEAR

- ▶ Aluminum alloy body
- ▶ Alloy steel blade hardened; Double sharpened; Teflon coated resists rust
- ▶ Ratchet mechanism for easier cutting
- ▶ 5/8" cutting capacity



LK6018

BYPASS PATTERN PRUNING SHEAR

- ▶ High carbon steel,Teflon coated,exchangeable blades
- ▶ Aluminum handle with PVC dipped low friction rotatable handle
- ▶ 5/8" cutting capacity

LK6020



BYPASS PATTERN PRUNING SHEAR

- ▶ High carbon steel,chrome-plated blades
- ▶ Zinc-alloy handle with plastic layer
- ▶ 3/4" cutting capacity

LK6022



ANVIL PATTERN PRUNING SHEAR

- ▶ Teflon coated blade
- ▶ Zinc alloy anvil
- ▶ Soft plastic layer grips
- ▶ 3/4" cutting capacity

LK6024



Garden Tool

STRAIGHT PRUNING SHEAR

- ▶ Hardened steel blade
- ▶ Zinc alloy handle,TPR covered



LK6026 Size: 6.5"

GRASS SHEAR

- ▶ Hardened carbon steel,teflon coated blades
- ▶ 180°revolvable design
- ▶ Bi-color plastic handle
- ▶ 4-1/2" cutting length



LK6028

BYPASS PATTERN PRUNING SHEAR

- ▶ Hardened steel blade
- ▶ Zinc alloy handle,TPR covered



LK6027 Size: 6.5"

GRASS SHEAR

- ▶ High carbon steel,teflon coated blades
- ▶ 90° revolvable design
- ▶ Plastic handle
- ▶ 4-1/2" cutting length




LK6029

ANVIL PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Aluminum handle plastic +rubber grips
- ▶ Ratchet mechanism
- ▶ 1/4" cutting capacity

Size: 24" -35" ,21" -29" ,
21" -29" with fixed holes on the handle,
19"



LK6030



Using the diagram

BYPASS PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Aluminum handle plastic +rubber grips
- ▶ Ratchet mechanism
- ▶ 1/4" cutting capacity

Size: 24" -31" ,21" -29" ,
21" -29" with fixed holes on the handle,
19"



LK6031

BYPASS PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Telescopic steel tube handle plastic grips
- ▶ Shock absorbing bumper
- ▶ 1-5/8" cutting capacity

Size: 27" -41"




LK6032

HEDGE SHEAR

- ▶ 9" high carbon steel teflon coated blades
- ▶ Aluminum handle plastic +rubber grips
- ▶ Ratchet mechanism
- ▶ Shock absorbing bumper
- ▶ 26" -34" with fixed holes on the handle

Size: 26" -34" ,26" -34" with fixed holes
on the handle,



LK6033



ANVIL PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Aluminum handle plastic +rubber grips
- ▶ Ratchet mechanism
- ▶ 1" cutting capacity



LK6034 Size: 19"

HEDGE SHEAR

- ▶ 10" Teflon coated blade curved cutting edges
- ▶ Strong light-weight handles
- ▶ 2 components comfortable grips
- ▶ Blades tension adjustor
- ▶ Shock absorbing bumper
- ▶ Overall length:24"



LK6035 Size: 26" -35" ,24"

HEDGE SHEAR

- ▶ 10" high carbon steel teflon coated blades
- ▶ Curved cutting edge
- ▶ Aluminum handle,plastic+rubber grips
- ▶ Blades tension adjustor
- ▶ Shock absorbing bumper



LK6036 Size: 25"

HEDGE SHEAR

- ▶ High carbon steel teflon coated blades
- ▶ Aluminum handle plastic +rubber grips
- ▶ Ratchet mechanism
- ▶ 1-5/8" cutting capacity



LK6037 Size: 27" -41"

ANVIL PATTERN LOPPERS


- ▶ High carbon steel teflon coated blades
- ▶ Zinc alloy anvil
- ▶ Telescopic steel tube handle plastic grips
- ▶ 1-1/2" cutting capacity



LK6038 Size: 26" -40"

HEDGE SHEAR


- ▶ 10" high carbon steel teflon coated blades
- ▶ Curved cutting edge
- ▶ Telescopic steel tube handle,plastic grips



LK6039 Size: 26" -33"

BYPASS PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Telescopic steel tube handle,plastic grips
- ▶ Shock absorbing bumper
- ▶ 1-5/8" cutting capacity



LK6040 Size: 27" -41"

ANVIL PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Zinc alloy anvil
- ▶ Telescopic steel tube handle plastic grips
- ▶ 2" cutting capacity



LK6041 Size: 27" -41"

BYPASS PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Chrome-plated anvil
- ▶ Ratchet mechanism
- ▶ Steel tube handle with PP/TPR grips



LK6042 Size: 26"

Garden Tool

ANVIL PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Telescopic steel tube handle, plastic grips



LK6043

Size: 22-1/4" ~29-1/2"

ANVIL PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Wood handles, with painted steel ferrules



LK6044

Size: 29"

BYPASS PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Wood handles, with painted steel ferrules



LK6045

Size: 28"

BYPASS PATTERN LOPPERS

- ▶ High carbon steel teflon coated blades
- ▶ Wood handles, with painted steel ferrules



LK6046

Size: 21"

3 PCS GARDEN SCISSORS SET

- ▶ 1pc bypass pattern loppers
- ▶ 1pc hedge shears
- ▶ 1pc bypass pattern pruning shears
- ▶ High carbon steel blades
- ▶ Steel tube handle with plastic grips



LK6047

HEDGE SHEARS

- ▶ Curved cutting edges, 8" carbon steel blades
- ▶ Blade tension adjuster, strong tube steel handles
- ▶ Non-slip plastic grips
- ▶ Blacked blade finish
- ▶ Overall length: 21"



LK6048

Size: 21"

HEDGE SHEARS

- ▶ Curved cutting edges, 8" carbon steel blades
- ▶ Hardwood handles
- ▶ Overall length: 21"



LK6049

Size: 19"

HEDGE SHEARS

- ▶ Curved cutting edges, 8" carbon steel blades
- ▶ Blade tension adjuster
- ▶ Hardwood handles
- ▶ Shock absorbing bumper
- ▶ Overall length: 21"



LK6050

Size: 21"

HEDGE SHEARS

- ▶ Curved cutting edges, 8" carbon steel blades
- ▶ Hardwood handles
- ▶ Shock absorbing bumper
- ▶ Overall length: 21"



LK6051

Size: 21"



LEAF RAKE

LK6052

- ▶ Carbon steel
- ▶ Powder coating
- ▶ telescopic handle
- ▶ With soft plastic grip



Size: 79*10.4cm
Max length: 118cm

LK6053

LEAF RAKE

- ▶ Carbon steel
- ▶ Powder coating
- ▶ telescopic handle
- ▶ With soft plastic grip



Size: 79*14cm
Max length: 107cm

TWO-WAY HOE

Size: 62.8*18.5cm
Max length: 95.5cm



LK6054



LK6055

TWO-WAY HOE

Size: 63*18cm
Max length: 95cm

SMALL RAKE

Size: 63.2*8.6cm
Max length: 95cm



LK6056

HAND CULTIVATOR

Size: 71*8.2cm
Max length: 103cm



LK6057



LK6058

HAND TROWEL

Size: 69*9.4cm
Max length: 100cm

HAND TROWEL

- ▶ Aluminum
- ▶ Mirror polished
- ▶ With double components soft TPR handle

Size: 31*7.5cm

LK6059



TRANSPLANTING TROWEL



LK6060

Size: 30.8*5.5cm

WEEDING FORK



LK6061

Size: 30*7.8cm

3 PRONG HAND FORK



LK6062

Size: 30*7.8cm

HAND WEEDER



LK6063

Size: 30.8*4cm